

WEST CALDWELL BOARD OF HEALTH

AGENDA

NOVEMBER 5, 2014

ROLL CALL:

APPROVAL OF MINUTES: For the meeting of October 1, 2014.

BILLS FOR APPROVAL:

Garden State Laboratories (Sept. 2014)	\$372.67
Turfworks Landscape (Weekly Maintenance-002)	\$165.00
Gabriela Durand (reimbursement – tolls & mileage)	\$127.15
Township of Wayne (Animal Control – July, Aug., Sept. 2014)	\$6,648.54
Essex Regional Health Commission (Installment #4)	\$941.00
NACCHO (2015 Dues – Health Officer)	\$200.00
Turfworks Landscape (Weekly Maintenance-003)	\$165.00
W.B. Mason.....	\$317.84

REPORTS OF OFFICERS AND COMMITTEES:

Health Officer’s Activity Reports
Health Officer’s Complaint Reports
Registrar’s Reports

CORRESPONDENCE:

NJDEP

- Receptor Evaluation Form – 1104 Bloomfield Ave., West Caldwell
- Compliance Evaluation and Assistance Inspection – 300 Fairfield Road, Fairfield
- Discharge Approval and Monitoring Requirements – 6 Sunnie Terrace, West Caldwell
- Suspected Hazardous Substance Discharge Notification – 12 Franklin Avenue, West Caldwell
- No Further Action Letter and Covenant Not to Sue – 24 Marshall Street, West Caldwell
- Sub-Slab Soil Gas and Indoor Air Sampling – 397 Route 46 West, Fairfield
- No Further Action Letter and Covenant Not to Sue – 366 Passaic Ave., West Caldwell
- Suspected Hazardous Substance Discharge Notification – 256 Park Ave., North Caldwell
- Suspected Hazardous Substance Discharge Notification – 16 Maywood Ct., North Caldwell
- Suspected Hazardous Substance Discharge Notification – 4 Woodmere Ct., North Caldwell
- Removal of Classification Exception Area – DPW Garage, 230 Fairfield Rd., Fairfield

Essex Regional Health Commission – September 2014

- West Caldwell - No Activity
- North Caldwell - No Activity
- Fairfield - No Activity

National Association of County & City Health Officials

- October 2014 *Public Health Dispatch*

Miscellaneous

- Brennan Environmental – Public Notice and Receptor Evaluation – 277 Fairfield Rd., Fairfield
- Brach Eichler LLC – Remedial Action Protectiveness/Biennial Certification Form – 222 Passaic Ave., Fairfield
- The Elm Group – Response Action Outcome, 666 Passaic Ave., West Caldwell
- De Maximis Inc. – Water Sample Collection Results, 31 Carlos Dr., Fairfield

DISCUSSION:

INVITATION TO CITIZENS TO DISCUSS ITEMS ON THE AGENDA:

INVITATION TO CITIZENS TO DISCUSS ITEMS NOT ON THE AGENDA:

ADJOURNMENT:

WEST CALDWELL/FAIRFIELD/NORTH CALDWELL

BOARD OF HEALTH

ADDITIONAL ACTIVITIES

OCTOBER 2014

NURSING

Blood Pressure Screenings

Location	Date	Total	Normal	Pre-Hyp.	Hypertensive
North Caldwell			Cancelled		
West Caldwell	10-09-14	3	1	1	1
Fairfield	10-23-14	7	2	4	1
TOTAL:		10	3	5	2

MEETINGS/ADMINISTRATIVE

- Registrar's Continuing Ed. Seminar – Long Beach Twp., NJ, 10-17-14
- NJACCHO Executive Committee Meeting - Fellowship Village, 10-17-14
- Essex Co. Office of Emergency Mgmt. – Ebola Meeting, Livingston, NJ, 10-20-14.

WEST CALDWELL BOARD OF HEALTH

ACTIVITY REPORT

OCTOBER 2014

RETAIL FOOD INSPECTIONS

ESSEX COUNTY COLLEGE	10-06-14	Satisfactory
ESSEX CO. VOTECH	10-14-14	Satisfactory
CRANE'S MILL	10-20-14	Satisfactory
JAMES CALDWELL HIGH SCHOOL	10-27-14	Satisfactory
WASHINGTON SCHOOL	10-28-14	Satisfactory

TANNING FACILITY INSPECTIONS

SIZZLE TANS	10-08-14	Satisfactory
-------------	----------	--------------

PUBLIC RECREATIONAL BATHING FACILITIES

CRANE'S MILL POOL	10-20-14	Satisfactory
-------------------	----------	--------------

RETAIL FOOD – OTHER

REHS reinspected **Bagelwich** on 9-30-14. A Conditional was issued on 9-15-14 and remains due to unscreened front door being left open and walk-in still needing servicing.

A follow-up inspection was done at **Shoprite Supermarket** on 10-7-14 due to a backed up sewer line on Kirkpatrick Lane. REHS spoke to the manager about having the integrity of the grease traps inspected to ensure that grease is not being discharged into the municipal sewer lines.

A plan review was done for Honey Baked Ham Co. & Café, a proposed establishment at 792 Bloomfield Avenue.

At the request of the Public Works Department, the snack bars at Westville Pool and Cedar Street Pool were checked. Some food debris was on and around equipment, some food/syrup was left, and grease was left in the drip pan of the grill. Some grease build up was around both grills. The grease trap at Cedar Street pool must be inspected. The Westville Pool does not have a grease trap.

WEST CALDWELL BOARD OF HEALTH

COMPLAINT REPORT

OCTOBER 2014

15 Westover Terrace

Complaint of limbs and brush blocking the sidewalk. A door hanger was left with instructions to bundle the limbs and to clear sidewalk.

1148, 1154 & 1160 Bloomfield Avenue

Signs of a failing septic tank were found at 1148, the sewage is draining into a cesspool at 1154. The property owner, who is the same for both properties, was noticed that the properties must be connected to the municipal sewer lines. No sign of a septic tank was found at 1160.

Franco's Pizzeria, 907 Bloomfield Avenue

Complaint received 10-15-14 of fruit flies. REHS observed very few fruit flies and verified that the monthly pest control service treats the establishment drains. No further action.

254 Central Avenue

Notice of dog bite to a family member.

51 Eastern Parkway

Resident called to report a raccoon which appeared to be sick or injured. The raccoon hadn't moved in two hours, and the matter was referred to Animal Control.

39 Westover Terrace

A large amount of construction debris left on curb for garbage pickup. Door hanger was left.

WEST CALDWELL BOARD OF HEALTH

ENFORCEMENT ACTIVITIES

OCTOBER 2014

254 Central Avenue – Notice of Bite and Quarantine issued 10-23-14.

FAIRFIELD BOARD OF HEALTH

ACTIVITY REPORT

OCTOBER 2014

RETAIL FOOD INSPECTIONS

SIDELINES BAR & GRILL	09-29-14	Satisfactory
TIERNEY'S COPPERHOUSE	09-30-14	Satisfactory
JOHN'S CAFÉ	10-01-14	Satisfactory
PAZZO PIZZA	10-01-14	Satisfactory
STARBUCKS (TARGET)*	10-03-14	Satisfactory
BOARDWALK PIZZA	10-06-14	Satisfactory
NICK'S PLACE/SKYLINE AUTO EXCHANGE	10-07-14	Satisfactory
UNIQUE PHOTO	10-10-14	Satisfactory
HOLLYWOOD PARK CAFÉ	10-14-14	Satisfactory
NEW BEGINNINGS SCHOOL	10-15-14	Satisfactory
GRAMON SCHOOL & GLENVIEW ACADEMY	10-15-14	Satisfactory
COMFORT INN	10-22-14	Satisfactory
FRANKLIN STEAKHOUSE	10-22-14	Satisfactory
JOSE TEJAS	10-23-14	Satisfactory
STARBUCKS (TARGET)*	10-29-14	Satisfactory

**Preopening Inspection*

RECREATIONAL BATHING INSPECTIONS

HAMPTON INN & SUITES POOL	10-09-14	Satisfactory
---------------------------	----------	--------------

RESIDENTIAL WELL WATER SAMPLES

86 Beverly Road	09-26-14	Conforms
-----------------	----------	----------

RETAIL FOOD – OTHER

A plan review was done for proposed establishment, McGhee's, formerly Fieldhouse Pub.

A preliminary visit was made to proposed Fu Restaurant, formerly Oishii Restaurant. REHS also began the plan review.

FAIRFIELD BOARD OF HEALTH

COMPLAINT REPORT

OCTOBER 2014

9 Cleary Place

Complaint received 10-20-14 of overgrown property and rodents. Trees growing out of gutters, green film on the house, black mold in the house. Upon inspection, there was no evidence of rats. The complaint was referred to the Zoning Officer, who handles property maintenance.

330 Fairfield Road, Empire Specialty Cheese Co.

Following a fire in the building, REHS spoke to the NJDHSS about this wholesale cheese distributor. The cheese in the large walk in had a surface temp of 43F. State requires wholesale to be 45F so the owner was allowed to transfer

the contents to alternate refrigeration. All other products were required to be discarded and a list provided to the Health Department. The facility must also be thoroughly cleaned and sanitized by a professional cleaning service and inspected by a health official prior to opening.

FAIRFIELD BOARD OF HEALTH

ENFORCEMENT ACTIVITIES

OCTOBER 2014

NONE

NORTH CALDWELL BOARD OF HEALTH

ACTIVITY REPORT

OCTOBER 2014

RETAIL FOOD INSPECTIONS - NONE

NORTH CALDWELL BOARD OF HEALTH

COMPLAINT REPORT

OCTOBER 2014

Animal Control

A raccoon submitted for rabies testing by the North Caldwell Animal Control Officer was found to be positive for the virus.

NORTH CALDWELL BOARD OF HEALTH

ENFORCEMENT ACTIVITIES

OCTOBER 2014

NONE